


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)


[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

Lowercase "or" was ignored. Try "OR" to search for either of two terms. [\[details\]](#)  
 The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** All articles - Recent articles Results 1 - 10 of about 3,360 for (restriction site) and ((mass

**High-throughput multiplex SNP genotyping with MALDI-TOF mass spectrometry: Practice, problems and ...** - all 4 versions »

MS Bray, E Boerwinkle, PA Doris - Human Mutation, 2001 - doi.wiley.com

... extension peaks for this variant site, particularly for the ... LPL 97.6 Restriction

C=0.074/ G=0.926 ... Spectrometry Versus Alternative Methods Mass spec typing RFLP ...

Cited by 95 - Related Articles - Web Search - BL Direct

**Laser desorption mass spectrometry for point mutation detection** - all 6 versions »

NI Taranenko, KJ Matteson, CN Chung, YF Zhu, LY ... - Genetic Analysis: Biomedical Engineering, 1996 - Elsevier

... allele does not have a Hinc II restriction site and remains ... demonstrated two different

successful methods to use MALDI for CF ... With the progress of mass spec- ...

Cited by 26 - Related Articles - Web Search - BL Direct

**A novel MALDI LIFT-TOF/TOF mass spectrometer for proteomics** - all 3 versions »

D Suckau, A Resemann, M Schuergen, P Hufnagel, ... - Analytical and Bioanalytical Chemistry, 2002 - Springer

... bond takes place close to the excitation site caus- ing ... That mass increase of 32Da

is typical for doubly ... in a search without species restriction indi- cating a ...

Cited by 100 - Related Articles - Web Search - BL Direct

**A strategy for mapping and neutralizing conformational immunogenic sites on protein therapeutics** - all 3 versions »

NP Michael, J Bhatia, SK Sharma, AR Rees, NP ... - Proteomics, 2002 - doi.wiley.com

... acquired using the Ciphergen PBS-1 mass spectrometer, a ... not cut at a potential cleavage

site, was set to ... All restriction enzymes and DNA modifying enzymes were ...

Cited by 34 - Related Articles - Web Search - BL Direct

**Matrix-Assisted Laser Desorption/Ionization of Restriction Enzyme-Digested DNA** - all 2 versions »

K Tang, SL Aliman, CH Chen, LY Chang, M Schell - Rapid Comm. in Mass Spectrom, 1994 - doi.wiley.com

... in using electrospray ionization mass spec- trometry to ... explore the potential of

mass spectrometric detection ... According to the recognition site of DdeI, there ...

Cited by 16 - Related Articles - Web Search - BL Direct

**Fatty acylation of two internal lysine residues required for the toxic activity of Escherichia coli** ... - all 6 versions »

P Stanley, LC Packman, V Koronakis, C Hughes - Science, 1994 - sciencemag.org

... m were constructed from the original clone after restriction with Sac ... amino acid

positions be- hind the proteolytic processing site (that is ... Mass spectrometry ...

Cited by 76 - Related Articles - Web Search - BL Direct

**MALDI-TOF mass spectrometry-based SNP genotyping** - all 11 versions »

N Storm, B Darnhofer-Patel, D van den Boom, CP ... - Methods Mol. Biol, 2003 - Springer